PHYTOPATHOLOGY

INDEX TO VOLUME 40, 1950

Volume 40
Number 12
December, 1950

PHYTOPATHOLOGY

AN INTERNATIONAL JOURNAL

OFFICIAL ORGAN OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 40
JANUARY–DECEMBER, 1950

EDITORS

HELEN HART — M. W. GARDNER
G. C. KENT — JAMES H. JENSEN

ASSOCIATE EDITORS

DONALD CATION — C. S. HOLTON — J. DUAIN MOORE
HAROLD T. COOK — THOR KOMMEDAHL — JOHN A. STEVENSON
J. G. HARRAR — K. W. KREITLOW — COYT WILSON
BERCH W. HENRY — J. G. LEACH — J. D. WILSON

BUSINESS MANAGEMENT

A. E. DIMOND — L. J. ALEXANDER

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

OFFICERS

C. M. TUCKER, *President*
J. G. HORSFALL, *Vice-President*
CURTIS MAY, *Secretary*
A. E. DIMOND, *Treasurer*

COUNCILORS

W. F. BUCHHOLTZ — C. L. LEFEBVRE — A. L. SMITH
L. C. COCHRAN — GEORGE L. MCNEW — W. H. TISDALE
M. T. HILBORN — W. D. VALLEAU

PUBLISHED FOR THE SOCIETY
BUSINESS PRESS, INC.
LANCASTER, PENNSYLVANIA

SCIENCE
LIBRARY
QK
1
P6

SUSTAINING ASSOCIATES

BUTLER COUNTY MUSHROOM FARM, INCORPORATED, West Winfield, Penn yl-
vania

CALIFORNIA PACKING CORPORATION, Swedesboro, New Jersey

CAMPBELL SOUP COMPANY, Agricultural Research Department, Riverton,
New Jersey

THE DOW CHEMICAL COMPANY, Midland, Michigan

E. I. DUPONT DE NEMOURS & COMPANY, Wilmington 98, Delaware

FERRY-MORSE SEED COMPANY, Detroit, Michigan

FREEPORT SULPHUR COMPANY, New Orleans 5, Louisiana

H. J. HEINZ COMPANY, Pittsburgh 30, Pennsylvania

LEDERLE LABORATORIES DIVISION, AMERICAN CYANAMID COMPANY, Pearl
River, N. Y.

ROHM AND HAAS, Washington Square, Philadelphia 5, Pennsylvania

TENNESSEE CORPORATION, 619-27 Grant Building, Atlanta 1, Georgia

TRIARCH BOTANICAL PRODUCTS, Ripon, Wisconsin

YODER BROTHERS, INCORPORATED, Barberton, Ohio

CONTENTS OF VOLUME 40, 1950

NO. 1. JANUARY

Abstracts of papers accepted for presentation at the forty-first annual meeting of the Society, New York City, New York, December 28 to 30, 1949 1
Leaf diseases of Peruvian barbasco, Lonchocarpus utilis. BOWEN S. CRANDALL 34
The pathogenic, physiological, and serological reactions of the form species of Xanthomonas translucens. C. T. FANG, O. N. ALLEN, A. J. RIKER, and J. G. DICKSON 44
Downy mildew immunity in spinach. PAUL G. SMITH 65
Genetics of resistance to the common bean mosaic virus (bean virus 1) in the bean (Phaseolus vulgaris L.). MOHAMED A. ALI 69
Influence of nutritional and environmental factors upon asexual reproduction of Choanephora cucurbitarum in culture. H. L. BARNETT and VIRGIL G. LILLY 80
The Helminthosporia that attack sugar cane. G. K. PARRIS 90
Sporulation of Colletotrichum lindemuthianum in culture. R. S. MATHUR, H. L. BARNETT, and VIRGIL GREENE LILLY 104
Sour skin, a bacterial rot of onion bulbs. WALTER H. BURKHOLDER 115
Notice 118

NO. 2. FEBRUARY

Hans Wilhelm Wollenweber, 1879–1949. OTTO A. REINKING 119
Nicotiana rustica as a source of tobacco-streak virus. STEPHEN DIACHUN and W. D. VALLEAU 128
The life history and morphology of the sugar-beet nematode, Heterodera schachtii Schmidt. D. J. RASKI 135
Eradicant fungicides of possible value against the azalea petal blight fungus, Ovulinia azaleae. PHILIP BRIERLEY 153
The effect of actidione on the growth of certain pathogenic fungi and on the germination of pea seed. V. R. WALLEN, M. D. SUTTON, and A. J. SKOLKO 156
Effect of host variety and other factors on pathogenicity of potato ring-rot bacteria. REINER BONDE and MILDRED COVELL 161
Effect of temperature on the fungicidal action of sulphur. C. E. YARWOOD 173
Biological races of the Fusarium causing wilt of cowpeas and soybeans. G. M. ARMSTRONG and JOANNE K. ARMSTRONG 181
Occurrence of strains of the strawberry red stele fungus, Phytophthora fragariae Hickman, as shown by differential varietal response. D. H. SCOTT, W. F. JEFFERS, GEORGE M. DARROW, and D. P. INK 194
Cane and leaf rust, Kuehneola uredinis (Link) Arth., of blackberries in western Washington. GEORGE W. FISCHER and FOLKE JOHNSON 199
Ethylene, a metabolic product of diseased or injured plants. C. E. WILLIAMSON 205
Control of Fusarium storage rot of gladiolus corms. H. N. MILLER and R. O. MAGIE 209
Phytopathological Notes:
Perennation in relation to control of dodders on native shrubs in southern California. KENNETH F. BAKER 213
On the physical properties of sugar-cane mosaic virus. JOSE ADSUAR 214
Arrested invasion of Lycopersicon peruvianum roots by the root-knot nematode. SHUBERT C. LIAO and A. A. DUNLAP 216
Actidione as a plant protectant. DAVID GOTTLIEB, H. H. HASSAN, and M. B. LINN 218
Cross protection tests with cucumber viruses 3 and 4 and tobacco-mosaic virus. ROBERT W. FULTON 219

NO. 3. MARCH

Mutation in Colletotrichum falcatum Went, the causal organism of sugar-cane red rot. B. L. CHONA and M. K. HINGORANI 221
Gray mold of Lima beans. J. B. KENDRICK, JR., and JOHN T. MIDDLETON 228
Abnormal cultures of Melampsora lini. H. H. FLOR 235
Leaf scorch of gladiolus caused by atmospheric fluoric effluents. FOLKE JOHNSON, D. F. ALLMENDINGER, V. L. MILLER, and C. J. GOULD 239
The inactivation of plant viruses by substances obtained from bacteria and fungi. NEDRA M. UTECH and JAMES JOHNSON 247

White-fly-transmitted mosaic of Euphorbia prunifolia. A. S. COSTA and C. W. BENNETT 266
European corn borer (Pyrausta nubilalis Hbn.) in relation to shank, stalk, and ear rots of corn. J. J. CHRISTENSEN and C. L. SCHNEIDER 284
Pungency, color, and moisture supply in relation to disease resistance in the onion. J. H. OWEN, J. C. WALKER, and M. A. STAHMANN 292
Variants of the tobacco-necrosis virus in Wisconsin. ROBERT W. FULTON 298

NO. 4. APRIL

The wilt disease of American persimmon, caused by Cephalosporium diospyri. BOWEN S. CRANDALL and W. L. BAKER 307
Relation of concentration of some organic substances to spore germination and dosage response. HAROLD J. MILLER 326
Effectiveness of fungicidal sprays and dusts in azalea petal blight control. D. L. GILL 333
Physiology of toxin production by Ceratostomella ulmi. A. W. FELDMAN, N. E. CAROSELLI, and F. L. HOWARD 341
Root and collar winter injury of apple trees. J. S. COOLEY and A. B. GROVES 355
Studies on safflower rust in India. RAGHUBIR PRASADA and HOMI P. CHOTHIA 363
Vertical distribution of Verticillium albo-atrum in soils. STEPHEN WILHELM 368
Some interrelationships of virus strains in sugar-beet curly top. N. J. GIDDINGS 377
Phytopathological Notes:
A modification of the van Tieghem cell for purification of contaminated fungus cultures. P. A. ARK and ROBERT S. DICKEY 389
A technique for observing tuber enlargement and scab development in potatoes. W. J. HOOKER 390
Natural occurrence of tobacco-necrosis virus in primrose. W. C. PRICE, FRANK P. MCWHORTER, and BETTY H. STERANKA 391
The effect of yellow dwarf on yield of onion seed. R. D. WATSON and GLENN KENKNIGHT 392
Report of the 41st Annual Meeting of The American Phytopathological Society 394
Minutes of the Northeastern Division, The American Phytopathological Society, December 28–30, 1949 406

NO. 5. MAY

Cyril Oliver Bratley, 1903–1948. JAMES S. WIANT 409
Neil Stevens, 1887–1949. H. W. ANDERSON 413
A paper-disk plate method for the quantitative evaluation of fungicides and bactericides. H. H. THORNBERRY 419
Pathogenicity studies with Colletotrichum from different hosts on sorghum and sugar cane. F. J. LEBEAU 430
Etiology of some sap rots of Western red cedar poles. CHESTER M. SOUTHAM and JOHN EHRLICH 439
Unrelatedness of potato virus Y and cucumber mosaic virus. A. FRANK ROSS 445
Thread blight in tung orchards and its control. JOHN R. LARGE, JOHN H. PAINTER, and W. AVERY LEWIS 453
Soil treatments with parathion for the control of root-knot nematode and golden nematode. A. W. DIMOCK and BERT LEAR 460
Stem necrosis of potatoes caused by Streptomyces scabies. W. J. HOOKER, J. E. SASS, and G. C. KENT 464
Experimental design for studying resistance of strawberry varieties to Verticillium wilt. R. E. BAKER and G. A. BAKER 477
Drying after harvest increases storage decay of sugar-beet roots. JOHN O. GASKILL 483
Internal-browning disease of tomato caused by strains of tobacco-mosaic virus from Plantago. FRANCIS O. HOLMES 487
Ophiostoma on narcissus bulbs. DONALD P. LIMBER 493
Verticillium wilt of cotton with particular emphasis on variation of the causal organism. JOHN T. PRESLEY 497
A Crotalaria mosaic and its transmission by aphids. D. D. JENSEN 512
Phytopathological Notes:
Tobacco streak virus in sweet clover. STEPHEN DIACHUN and W. D. VALLEAU 516
Effect of hot-water treatment on emergence of spring barley and control of brown loose smut. L. A. SCHAFER and E. D. HANSING 518
Fungi recovered from seed of Sorghum vulgare Pers. DOUGLAS C. BAIN 521
Heat banding of crested wheatgrass seedlings. G. W. BRUEHL 522

The effect of sodium arsenite on the combining ability of monosporidial lines of Ustilago zeae. ELISA HIRSCHHORN and DONALD E. MUNNECKE 524

NO. 6. JUNE

The relation of the bluegrass billbug, Calendra parvula (Gyllenhal), to the development of basal stem rot and root rot of cereals and grasses in North-Central United States. E. W. HANSON, H. E. MILLIRON, and J. J. CHRISTENSEN 527
Studies of antibiotic soil organisms. I. Actinomycetes antibiotic to Pythium arrhenomanes in sugar-cane soils of Louisiana. W. E. CGOPER and S. J. P. CHILTON 544
Heterosporium disease of nasturtium and its control. KENNETH F. BAKER and LILY H. DAVIS 553
Sodium pentachlorophenate and other materials as eradicative fungicides against Sclerotinia. E. E. WILSON 567
The stimulating effect of dung infusion on the germination of spores of Ustilago striiformis. PEN-CHING CHEO and J. G. LEACH 584
Chlamydospore germination in physiologic races of Tilletia caries and Tilletia foetida. CONLEY V. LOWTHER 590
A genetic study of halo blight reaction in Phaseolus vulgaris. M. L. SCHUSTER 604
Book Reviews 613

NO. 7. JULY

The Diplodina disease of Delphinium. THOMAS LASKARIS 615
Stability of formaldehyde solutions used in bulb treatments. V. L. MILLER, W. D. COURTNEY, and BILLIE LOU ANDERSON 627
Aretic aerobiology. III. The presence of spores of cereal pathogens on slides exposed from airplanes in 1947. S. M. PADY, B. PETURSON, and G. J. GREEN 632
Production of plant virus inhibitors by fungi. B. M. GUPTA and W. C. PRICE 642
The unseasoned wood-disc method for evaluating sap-stain control chemicals. IRA HATFIELD, R. S. SHUMARD, THOMAS H. VAUGHN, and EUGENE F. HILL 653
Fusarium strains causing pea and bean root rot. OTTO A. REINKING 664
The relation of bean virus 2 to pea mosaic in Wisconsin. D. J. HAGEDORN and J. C. WALKER 684
Bordeaux mixture for the prevention of rust and chocolate spot of beans. A. F. EL-HELALY 699

NO. 8. AUGUST

Studies on the virus of Nothoscordum mosaic. H. H. MCKINNEY 703
The recovery of western X-disease of peach from Montmorency cherry and its relation to buckskin of sweet cherry. S. M. ZELLER and J. A. MILBRATH 707
Rhizome rot of white calla caused by Phytophthora erythroseptica. C. M. TOMPKINS and C. M. TUCKER 712
The effect of fungistatic agents on the bacterial flora of the rhizosphere. FRANK E. HALLECK and VINCENT W. COCHRANE 715
Organic vs. copper fungicides for control of melanose. JAMES F. L. CHILDS 719
Possible mechanism of variation in the imperfect stage of Scirrhia acicola. PAUL V. SIGGERS 726
Studies on strains of cucumber virus 1 from spinach. JOSEPH P. FULTON 729
Serial transmission of beet-mosaic virus by the green peach aphid. EDWARD S. SYLVESTER 737
Transmission of Brassica nigra virus by the green peach aphid. EDWARD S. SYLVESTER 743
Blossom-end rot of pepper (Capsicum annuum L.) in New Mexico. PHILIP J. LEYENDECKER, JR. 746
Variability in onion neck-rot fungi. J. H. OWEN, J. C. WALKER, and M. A. STAHMANN 749
Phytopathological Notes:
Verticillium wilt in acid soils. STEPHEN WILHELM 776
The value of copper fungicides for the control of strawberry leaf spot. E. G. SHARVELLE and M. N. TELLER 777
Control of brown rot. E. G. SHARVELLE and M. N. TELLER 778
Flower blight of Stephanotis floribunda, caused by Botrytis elliptica, and its control. C. M. TOMPKINS and H. N. HANSEN 780
Effect of starving infective aphids on the transmission of the beet yellow-net virus.' EDWARD S. SYLVESTER 782

Blackpatch of soybean and other forage legumes. J. L. WEIMER 782
Report of the 1950 annual meeting of the Southern Division, The American Phytopathological Society 785

NO. 9. SEPTEMBER

Cultivation of wild forms of the mushroom Psalliota bispora (Lge.) Schäffer & Möller. I. WAHL 793
Metabolic resistance to plant diseases. C. SEMPIO 799
Studies on the parasitism of Rhizoctonia solani Kuehn on soybeans. M. G. BOOSALIS 820
Red node, a virus disease of beans. H. REX THOMAS and W. J. ZAUMEYER 832
Yellow stipple, a virus disease of bean. W. J. ZAUMEYER and H. REX THOMAS 847
Factors influencing invasion of potato by Erwinia carotovora. JOHN P. HOLLIS and ROBERT W. GOSS 860
Report and abstracts of the seventh annual meeting of the Potomac Division, The American Phytopathological Society 869
Phytopathological Notes:
Oat rust urediospores exceed host tissue in cold resistance. JOHN W. OSWALD and COIT A. SUNESON 875
Plaque formation by Xanthomonas pruni bacteriophage. A. EISENSTARK and H. H. THORNBERRY 876
Announcement 878

NO. 10. OCTOBER

A soil fumigation test for pea root-rot control. OTTO A. REINKING and A. G. NEWHALL 879
Investigations on seed treatment of alfalfa, red clover, and Sudan grass for control of damping-off. K. W. KREITLOW, R. J. GARBER, and R. R. ROBINSON 883
Behavior of potato internal brown spot in stored tubers. BERNARD A. FRIEDMAN 899
Varietal resistance of spring wheats to Fusarial head blight. E. W. HANSON, E. R. AUSEMUS, and E. C. STAKMAN 902
Variability of Glomerella cingulata (Stonem.) S. & v. S. from apples. J. O. ANDES and G. W. KEITT 915
The biological degradation of lignin. II. The adaptation of white-rot fungi to growth on lignin media. SIDNEY GOTTLIEB, WILLIAM C. DAY, and MICHAEL J. PELCZAR, JR. 926
Bacteriophages attacking Pseudomonas tabaci and P. angulatum. ROBERT W. FULTON 936
A bioassay for tetramethylthiuramdisulfide. CURT LEBEN and G. W. KEITT 950
R. E. F. MATTHEWS, and J. C. WALKER 955
Relationships between certain viruses affecting the genus Brassica. R. H. LARSON, ... 963
Report of the thirty-second annual meeting of the Pacific Division of The American Phytopathological Society

NO. 11. NOVEMBER

A strain of the alfalfa-mosaic virus causing vine and tuber necrosis in potato. JOHN W. OSWALD 973
Mild rugose mosaic of sweet cherry. G. H. BERKELEY 992
The electron micrography of the Wisconsin pea-streak virus. MARK A. STAHMANN, D. J. HAGEDORN, and W. C. BURGER 999
Inheritance of symptom expression of pod mottle virus. H. REX THOMAS and W. J. ZAUMEYER 1007
Pathogenic differences manifested by Erwinia atroseptica and Erwinia carotovora. WILSON L. SMITH, JR. 1011
Zonate canker, a virus disease of American elm. ROGER U. SWINGLE and T. W. BRETZ 1018
Cercospora leaf spot of tall fescue and smooth brome. MARVIN D. WHITEHEAD and E. C. HOLT 1023
Ramularia cyclaminicola Trel., the cause of cyclamen stunt disease. KENNETH F. BAKER, A. W. DIMOCK, and LILY H. DAVIS 1027
Ceratostomella ulmi types in relation to development and identification of perithecia. THELMA SHAFER and O. N. LIMING 1035
The effect of soil type on the dispersion of soil fumigants. M. W. ALLEN and D. J. RASKI 1043

Phytopathological Notes:
A modification of Moore's method of inoculating wheat and barley with loose smut. W. J. CHEREWICK and W. POPP 1054
Ascochyta blight of okra in western North Carolina. D. E. ELLIS 1056
A tumor-inducing bacterium isolated from Euonymous galls. ARMIN C. BRAUN 1058

NO. 12. DECEMBER

Loose kernel smut of Johnson grass. R. W. LEUKEL and JOHN H. MARTIN 1061
Influence of temperature on incubation and transmission of the wound-tumor virus. KARL MARAMOROSCH 1071
Environment and host resistance in relation to cucumber scab. J. C. WALKER 1094
Verticillium wilt of bramble fruits with special reference to Rubus ursinus derivatives. STEPHEN WILHELM and H. EARL THOMAS 1103
Investigations of meadow nematodes attacking boxwood, and the therapeutic value of sodium selenate as a control. A. C. TARJAN 1111
Relative blight resistance in species and hybrids of Castanea. ARTHUR HARMOUNT GRAVES 1125
Bacterial fruitlet brown rot of Mexican pineapple. M. A. SMITH and G. B. RAMSEY 1132
Effect of temperature and relative humidity on occurrence of blossom blight of stone fruits. L. O. WEAVER 1136
Phytopathological Notes:
Two,4-D effects can persist in plant tissues. J. G. BROWN 1154
Phytophthora blight of safflower. GINO MALAGUTI 1154
Book Reviews 1158
National Scientific Register 1159
Index to Volume 40 1160